

KUTTE APPLIANCE


WAVE

WAVE

KUTTE APPLIANCE
库特电器

等 | UP
风 | IN
来 | THE WIND





库特联合结合德国精湛工艺、意大利美学品位一起，融入了厨房生活，向热爱生活的人们敬上最贴近切身所需的厨房电器产品。

对库特联合而言，重要的不仅仅是科技的创新，更是以完美的设计诠释对品质生活的理解。每一次科技的变革，每一项创新的设计，不仅引领着行业不断向前，更以人性的关怀描绘着厨房生活的新格局。

库特电器产品通过了澳洲和新西兰电器安全EPCS严格的系统测试，获得了SAA和SGS两项认证。库特联合愿以创新科技和对生活的热爱，把高端时尚的生活享受传递至每一个家庭、每一个你。

创新科技，品质生活。

KUTTE UNION combines German exquisite technology with Italian aesthetics to make kitchen products that blend in well with kitchens for those who embrace life.

For KUTTE UNION, it is important not only technological innovation, but understanding of quality living with perfect designs. Each technological revolution, every innovative design, both keeps leading the appliances industry to move forward and describes the new structure of kitchen lifestyle with humanity care.

Having passed the strict Australian and New Zealand electrical appliance safety tests, the products have attained SAA and SGS certification. KUTTE UNION hopes to bring high-end fashionable life style to each family and each individual by innovative technology and passion of life.

Innovative technology, quality life.



RRS-260-A33(1)

Body	Tempered Glass + S.S
Levels Of Speed	4 Speeds
Minimum Airflow	≥960 M ³ /H
Noise Level	≤60dB
Motor Type	2 Full Sealed Metal Motor
Fan Type	Metal Fans with Teflon Finish
Control Type	Sensor touch control
Filtration Type	Patented S.S Mesh Filter
Grease Filtering Rate	90%
Odor Reduction Rate	97%
Wind Pressure (Pa)	≥290
Illumination	2*2W LED
Venting Size	160mm
Product Size	898x418x907(W×D×H)(mm)
Remark	Dual-motor No-clean, heating oil Technology



免拆洗

Dismantle-and-wash-free

热化油技术是目前市面上最先进、最好的除油技术之一。不用换一张油网、不用拆一颗螺钉、更不用一滴水、实现真正免拆洗，一键智能除油

Thermalization oil technology currently is one of the most advanced and best technology in market. Without changing the oil filter net, without unscrewing and even without a drop of water, which is a really dismantle-and-wash-free with a smart key for oil removal.

可拆式油网，易于清洁

Removal oil filter network, easy to clean

智能美声控制开关，操作方便，快捷

Smart vocal control switch, easy and fast to operate

超静，高负压，吸力特强

Ultra-quiet, high vacuum, super strong suction





K386-T9

Body	Inox Aisi 304
Levels Of Speed	3 Speeds
Minimum Airflow	$\geq 1,110 \text{ M}^3/\text{H}$
Noise Level	$\leq 53\text{dB}$
Motor Type	Full Sealed Metal Motor
Fan Type	Metal Fans with Teflon Finish
Control Type	Electronic Switch
Filtration Type	Patented S.S Mesh Filter
Grease Filtering Rate	90%
Odor Reduction Rate	97%
Wind Pressure (Pa)	≥ 400
Illumination	2*2W LED
Venting Size	180mm
Product Size	895x515x658(W×D×H)(mm)



1、深腔拢烟：

独创140mm二阶拢烟深腔，腔深超越传统塔形机，这可能是世界上拢烟效果最好的吸油烟机。

“伯努利效应”黄金屋脊设计，最佳空气动力布局，拢得住才能吸得更干净。

Deep canopy collects smoke:

Unique design of two-stage 140mm length deep canopy is beyond traditional tower-shape one, which is perhaps the most perfect in the world.

“Bernoulli's Effect”, golden roof design and the optimum aerodynamic layout, which exhausts more clean with more smoke collection.

2、超大吸力：

超大吸风量可达 $20\text{m}^3/\text{min}$ 以上，远超当前行业 $17\text{m}^3/\text{min}$ 的大风量标准，更大吸力才适合厨房。

Super-strong Suction:

Over $20\text{m}^3/\text{min}$ super-strong suction is far more than the current industry standards $17\text{m}^3/\text{min}$, which is more suitable for kitchen with strong-suction.

3、超大风压：

搭载宽频自适应电机，独创风压智能补强系统，自动感应公共烟道压力变化，调节涡轮转速，彻底解决高层住宅公共烟道拥堵及油烟倒灌问题。

第三代双翼涡轮增压装置，最大风压可达400Pa，大风压才有大吸力。

Super Large Wind Pressure

Equipped with broadband adaptive motor, pressure smart intelligent reinforcing system, and automatically sensing the public flue pressure changes, adjusting turbine speed, thoroughly solves the problem for high-level residential public flue jams and smoke backflow.

The third generation dual-wing turbocharger has maximum pressure up to 400pa. The larger pressure, the stronger suction is.

4、超级静音：

首创音速飞行叶轮，由德意国家级博士后科研工作站与西安交通大学历时三年研制而成。

有效降噪至 ≤ 53 分贝，厨房也能畅享“静谧”空间。

Super Silent:

The national post-doctoral research centre of DE&E and Xi'an Jiaotong University took three years to develop the first sonic flight impeller.

Enjoy “quiet” space in kitchen with effective noise reduction to ≤ 53 dB.


5、橱电一体：

防护罩径深325mm，与标准橱柜完美匹配。橱电配置一体化，缔造时尚生活空间。

Integrated with cabinet and range hood:

325mm depth shield is matching perfectly with the standard cabinets.


Integration with cabinet and range hood creates fashionable living space.





K289-T9

Body	Tempered Glass + S.S
Levels Of Speed	Speedless changing
Minimum Airflow	≥990 M ³ /H
Noise Level	≤52.5dB
Motor Type	Full Sealed Metal Motor
Fan Type	2 Metal Fans with Teflon Finish
Control Type	Sensor touch control
Filtration Type	Patented S.S Mesh Filter
Grease Filtering Rate	90%
Odor Reduction Rate	98%
Wind Pressure (Pa)	≥420
Illumination	2*2W LED
Venting Size	180mm
Product Size	900x505x630(W×D×H)(mm)
Remark	1.) Double-Fan Turbo Boosting Technology 2.) Intelligent Wind Pressure Adjusting



新一代4.2T超大风压不惧 油烟倒灌

油烟排的畅，才能真正吸得净。新一代4.2T双翼涡轮增压科技，风压超过420Pa，带来超大排力。即便是低层用户，油烟也能0秒畅排。

New generation, huge pressure 4.2T, Prevents smoke backflow

The smoother smoke exhaust, the cleaner kitchen is. The new generation, 4.2T, twin-turbo technology with more than 420pa wind pressure, which brings super suction. Smoke exhaust instantly even living in low-level.

独创智能变频科技吸排效 率提升67%

世界领先的Smart Power直流变频科技，通过风压智能补强系统实时监控烟道风压变化，自动增强风压，最大限度强化排油烟效果，吸排效率提升67%，即使在做饭高峰，烟道拥堵时段，也能通畅排烟。当超强吸力与强劲排放两者合一，您的厨房就能时刻保持清新。

Unique intelligent frequency conversion technology improves 67% suction efficiency

Dc frequency conversion technology, the world leading smart power, real-time monitoring duct wind pressure varying through wind pressure smart intelligent reinforcing system, enhances wind pressure automatically for maximum exhaust to improve 67% suction efficiency, even during peak cooking time with public flue jams. The combination of super suction with exhaust gives you a clean and tidy kitchen at anytime.



K385-T9

Body	Inox Aisi 304
Levels Of Speed	3 Speeds
Minimum Airflow	≥1,110 M³/H
Noise Level	≤53dB
Motor Type	Full Sealed Metal Motor
Fan Type	Metal Fans with Teflon Finish
Control Type	Electronic Switch
Filtration Type	Patented S.S Mesh Filter
Grease Filtering Rate	90%
Odor Reduction Rate	97%
Wind Pressure (Pa)	≥400
Illumination	2*2W LED
Venting Size	180mm
Product Size	895x520x658 (WxDxH)(mm)



K387-T9

Body	Tempered Glass + S.S
Levels Of Speed	3 Speeds
Minimum Airflow	$\geq 1,110 \text{ M}^3/\text{H}$
Noise Level	$\leq 53\text{dB}$
Motor Type	Full Sealed Metal Motor
Fan Type	Metal Fans with Teflon Finish
Control Type	Electronic Switch
Filtration Type	Patented S.S Mesh Filter
Grease Filtering Rate	90%
Odor Reduction Rate	97%
Wind Pressure (Pa)	≥ 400
Illumination	2*2W LED
Venting Size	180mm
Product Size	895x520x658 (WxDxH)(mm)



K388-T9

Body	Inox Aisi 304
Levels Of Speed	3 Speeds
Minimum Airflow	$\geq 1,110 \text{ M}^3/\text{H}$
Noise Level	$\leq 53\text{dB}$
Motor Type	Full Sealed Metal Motor
Fan Type	Metal Fans with Teflon Finish
Control Type	Electronic Switch
Filtration Type	Patented S.S Mesh Filter
Grease Filtering Rate	90%
Odor Reduction Rate	97%
Wind Pressure (Pa)	≥ 400
Illumination	2*2W LED
Venting Size	180mm
Product Size	895x515x658 (WxDxH)(mm)



K192-T9

Body	Tempered Glass + S.S
Levels Of Speed	3 Speeds
Minimum Airflow	≥900 M ³ /H
Noise Level	≤52dB
Motor Type	Full Sealed Metal Motor
Fan Type	Metal Fans with Teflon Finish
Control Type	Sensor touch control
Filtration Type	Patented S.S Mesh Filter
Grease Filtering Rate	90%
Odor Reduction Rate	98%
Wind Pressure (Pa)	≥420
Illumination	2*2W LED
Venting Size	180mm
Product Size	900x520x871 (WxDxH)(mm)



RRC-220-A28

Body	Inox Aisi 304
Levels Of Speed	3 Speeds
Minimum Airflow	≥ 810 M ³ /H
Noise Level	≤ 60 dB
Motor Type	Full Sealed Metal Motor
Fan Type	Metal Fans with Teflon Finish
Control Type	Electronic Switch
Filtration Type	Patented S.S Mesh Filter
Grease Filtering Rate	90%
Odor Reduction Rate	97%
Wind Pressure (Pa)	≥ 220
Illumination	2*2W LED
Venting Size	160mm
Product Size	895x500x620 (WxDxH)(mm)

公司简介 Company Profile

库特联合（澳大利亚）有限公司总部设在环境优美的西澳大利亚首府——珀斯市。库特联合与广东康宝电器和浙江德意电器以及相关科研机构密切合作，共同研发、设计、制造出多款适合于华人使用的大风量、大吸力、免拆洗的家庭厨房用抽油烟机。并通过了澳洲和新西兰电器安全EPCS严格的系统测试，获得了SAA和SGS两项认证。

The head office of Kutte Union (Australia) Pty Ltd. is located in the beautiful capital city of Western Australia, Perth. Kutte Union works closely with Guangdong Canbo Electrical Co., Ltd, Zhejiang DE&E Appliances Co., Ltd and relevant research organizations to jointly research, develop, design, and produce many models of high airflow rate, strong suction and dismantle-and-wash-free range hoods for family kitchens suitable for Chinese users. Having passed the strict Australian and New Zealand electrical appliance safety tests, the products have attained SAA and SGS certification.

库特联合结合德国精湛工艺、意大利美学品位一起，融入了华人的厨房生活，向热爱生活的人们献上最贴近切身所需的厨房产品。将以完美的设计诠释对品质生活的理解，更以人性的关怀描绘华人厨房生活的新格局，帮助众多追求顶尖烹饪体验的家庭实现高品质生活享受。把高端时尚的生活享受传递至每一个家庭、每一个你。



Kutte Union combines German exquisite technology with Italian aesthetics to make kitchen products that blend in well with Chinese kitchens for those who embrace life. Kutte Union illustrates its understanding of quality living with perfect designs, and creates a new style of Chinese kitchen life with humanized attention to details, thus materialising high quality life enjoyment for families who pursue top level cooking experiences. The aim is to bring high-end fashionable life style to each family and each individual.

库特联合提供从产品的供应到系统规划、设计、安装、调试运行和维修的全部服务。我司独有的全面服务理念，能根据用户的要求提供用户所需求的一切服务。在建立完善销售网络的同时，我们还致力于建立完善的售后服务网络。

Kutte Union provides a full service, from systematic planning, design, installation, commissioning to maintenance. Our unique full-service concept is to provide all services to meet the needs of the customer. While establishing an excellent sales network, we are also committed to establishing an excellent after-sales-service network.

库特联合视“质量”为发展之源，视“信誉”为发展之本，致力于提供更为节能、环保、高品质的产品，立足澳洲，面向世界，服务全球。

Kutte Union always regards “quality” as the source of development and “reputation” as the essence of development. We devote ourselves to providing more energy-saving, environment-friendly and quality products. We are based in Australia, and we target the world market and provide a global service.





KUTTE UNION (AUSTRALIA) PTY LTD

Factory Address: 15 Craft Street Canning Vale WA 6155

Office Address: Unit 18/8 Hurley Street Canning Vale WA 6155

Tel: +61 8 9256 3084

Fax: +61 8 6261 3856

Mob: +61 410 685 690

E-mail: charry@kutte.com.au

Website: www.kutte.com.au